

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020069408".pn. and (database adj unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 09:32
L2	2	"5761606".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 09:39
L3	0	@ad< "20000622" and "725"/\$.ccls. and (url with (imbed\$4 or insert\$3) with (commercial or advail or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 09:54
L4	6	@ad< "20000622" and "725"/\$.ccls. and ((url or link or address) with (imbed \$4 or insert\$3) with (commercial or advail or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 09:54
L5	21	@ad< "20000622" and "725"/32-36.ccls. and ((url or link or address) same ((commercial or avail or advail or ad or advertisement) with ((air adj time) or frequency or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 10:06
L6	13	@ad< "20000622" and "725"/32-36.ccls. and ((url or address) same ((commercial or avail or advail or ad or advertisement) with ((air adj time) or frequency or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 10:06

L7	2	@ad< "20000622" and "725"/32-36.ccls. and ((url or address) same ((commercial or avail or advail or ad or advertisement) with (time) with (frequency or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 10:09
L8	57	@ad< "20000622" and "725"/32-36.ccls. and ((commercial or avail or advail or ad or advertisement) with (time) with (frequency or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 10:11
L9	4	@ad< "20000622" and "725"/32-36.ccls. and ((commercial or avail or advail or ad or advertisement) with (time) with (frequency or channel)) and (internet near3 (url or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 10:11
L10	2	"5600364".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:27
L11	0	@ad< "20000622" and "725"/32-36.ccls. and (retreiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:28
L12	162	@ad< "20000622" and "725"/32-36.ccls. and (retriev\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:29
L13	6	@ad< "20000622" and "725"/32-36.ccls. and (retriev\$3 with internet with (address or url))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:29
L14	0	@ad< "20000622" and "725"/32-36.ccls. and (list with (store or storing oro stored) with internet with (address or url))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:30

L15	1	@ad< "20000622" and "725"/32-36.ccls. and (((store or storing oro stored) with internet with (address or url)) same list \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:30
L16	5	@ad< "20000622" and "725"/32-36.ccls. and (((store or storing oro stored) with internet with (address or url)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:31
L17	5	@ad< "20000622" and "725"/32-36.ccls. and (((store or storing or stored) with internet with (address or url)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:31
L18	3	@ad< "20000622" and "725"/\$.ccls. and (((store or storing or stored) with internet with (address or url)) with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/12 11:32
S1	3	((("3919479") or ("5761606") or ("6025837")).PN.	USPAT	OR	OFF	2006/07/25 13:47
S2	199	(725/112,113,136).CCLS.	USPAT	OR	OFF	2006/07/25 13:47
S3	54	S2 and (register\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 13:47
S4	47	S2 and (register\$3) and @ad< "20000622"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 13:48
S5	22	S2 and (registered) and @ad< "20000622"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:05

S6	7	S2 and ((register\$3 with (link or url or uri))) and @ad< "20000622"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:10
S7	0	S2 and ((trusted with (link or url or uri))) and @ad< "20000622"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:10
S8	2	S2 and ((trusted)) and @ad< "20000622"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:10
S9	243	(725/112,113,136).CCLS.	USPAT	OR	OFF	2007/09/04 08:47
S10	48	S9 and (register\$3) and @ad< "20000622"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:47
S11	0	"6721958".pn. and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:34
S12	0	"6721958".pn. and (data adj base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:34
S13	0	"6721958".pn. and db	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:34
S14	91	@ad< "20000622" and 725/136.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:36

S15	194	@ad< "20000622" and 725/112,113,136.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:36
S16	2	@ad< "20000622" and 725/112,113,136.ccls. and (register\$4 with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:36
S17	0	@ad< "20000622" and 725/112,113,136.ccls. and (trusted with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:44
S18	0	@ad< "20000622" and 725/112,113,136.ccls. and (trusted same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:44
S19	0	@ad< "20000622" and 725/112,113,136.ccls. and (trusted same (data adj base))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:44
S20	0	@ad< "20000622" and 725/112,113,136.ccls. and (trust\$3 same (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:45
S21	0	@ad< "20000622" and "725"/\$.ccls. and (trust\$3 with url with(database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:46
S22	0	@ad< "20000622" and "725"/\$.ccls. and (trust\$3 with url with (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:46

S23	0	@ad< "20000622" and "725"/\$.ccls. and (trust\$3 same url same (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:46
S24	0	@ad< "20000622" and "725"/\$.ccls. and (trust\$3 with url) and (database or (data adj base))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:47
S25	1	@ad< "20000622" and "725"/112,113,136.ccls. and (trust\$3) and (database or (data adj base))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:48
S26	12	@ad< "20000622" and "725"/112,113,136.ccls. and (verif\$4) and (database or (data adj base))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:51
S27	0	@ad< "20000622" and "725"/112,113,136.ccls. and (verif\$4 with url) and (database or (data adj base))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:51
S28	2	@ad< "20000622" and "725"/112,113,136.ccls. and (verif\$4 with (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:52
S29	4	@ad< "20000622" and "725"/112,113,136.ccls. and (verif\$4 same (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:00
S30	0	@ad< "20000622" and "725"/112,113,136.ccls. and (verif\$4 same url same (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:00

S31	44	@ad< "20000622" and "725"/112,113,136.ccls. and (verif\$4 wit url) and (database or (data adj base))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:00
S32	0	@ad< "20000622" and "725"/112,113,136.ccls. and (verif\$4 with url) and (database or (data adj base))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:00
S33	2	S29 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:01
S34	8	@ad< "20000622" and "725"/112,113,136.ccls. and (url with (database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:01
S35	2	"6721958".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:26
S36	7	@ad< "20000622" and 725/136.ccls. and (database with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:39
S37	0	@ad< "20000622" and 725/136.ccls. and (database with server with (registered or trusted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:40
S38	1	@ad< "20000622" and 725/136.ccls. and ((database with server) same (registered or trusted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:40

S39	3	@ad< "20000622" and 725/136.ccls. and (database with server with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:42
-----	---	--	---	----	----	---------------------

10/12/2008 11:48:37 AM

C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces\jade_09887491.wsp